



Implementation of the Doubling Mamdani Fuzzy Method in Comparing the Output Quality of Four-Wheeled Vehicles in 2024

Muthia Ferliani Balqis^{1*} , Abel Gultom¹ 

¹Mathematics Department, Universitas Sumatera Utara, Medan, 20155, Indonesia

*Corresponding Author: muthiafbalqis24@usu.ac.id

ARTICLE INFO

Article history:

Received: 07 January 2023

Revised: 08 February 2023

Accepted: 29 March 2023

Available online: 30 March 2023

E-ISSN: 2656-1514

P-ISSN: -

How to cite:

Balqis, M.F., Gultom, A. "Implementation of The Doubling Mamdani Fuzzy Method in Comparing the Output Quality of Four-Wheeled Vehicles in 2024". Journal of Research in Mathematics Trends and Technology, vol. V5, no. 1, Mar. 2023, doi: 10.32734/jormtt.v5i1.16923

ABSTRACT

Nowadays, a four-wheeled vehicle or a car is already a primary necessity for most people. Various functions and advantages exist in four wheeled vehicles that are the factors that make the existence of four wheels very helpful in transportation and other activities. As a dynamic means of transportation, four-wheeled vehicles from year to year have been increasing in models and are becoming more and more sophisticated. The problem is that as a prospective buyer, one will surely be confused in choosing a four-wheeled vehicle among its various variations and models. In this paper will be given enlightenment in the selection of four-wheeled vehicles of such variation. Fuzzy decision making, or fuzzy decision maker, with the method of scanning, is designed to help the prospective buyer in selecting the four-wheeled vehicle that meets the criteria of the potential buyer. Based on the criterion desired by the prospecting buyer, the data around the four wheeled vehicles will be processed in the fuzzy assembly system until in the end each of the vehicle four wheels produces fire strength.

Keywords: Fuzzy Decision Making, Fuzzy Mamdani, Vehicles



This work is licensed under a Creative Commons Attribution-ShareAlike 4.0 International.

<http://doi.org/10.32734/jormtt.v5i1.16923>

1. Introduction

A four-wheeled vehicle (car), nowadays, has become one of the important things for every household to have. One of the reasons is that it can facilitate mobility together. Not only does it facilitate mobility together, a car is also an effective and efficient vehicle compared to a motorcycle. Apart from the mobility factor, there are also other factors that make a car an important item that should be owned when you have a family, such as safety, comfort, and freedom. By considering these factors, each buyer should choose a vehicle that best suits the desired criteria.

Vehicle selection is an important decision for many individuals and families. This process involves complex considerations, including factors such as daily use needs, personal preferences, budget, technical features and specifications, as well as environmental and safety factors. However, consumers often face

difficulties in making an informed decision as these factors are subjective and difficult to measure unequivocally. In addition, there is uncertainty in assessing the relative value of each factor and making comparisons between different vehicle options. In this case, the application of fuzzy logic in the selection of four-wheeled vehicles can be the right solution. Fuzzy logic allows the representation and handling of uncertain or fuzzy values, so as to overcome the uncertainty that often occurs in the decision-making process. By using a fuzzy logic approach, decisions can be made based on ambiguous or subjective criteria, and can integrate various relevant factors flexibly. By utilizing fuzzy logic in the selection of four-wheeled vehicles, this research can provide more personalized and accurate recommendations to consumers, and can help them make better and more informative decisions. In addition, this research can also be used as an additional reference.

2. Methods

2.1 Data Collection

The data collection technique in this research used the literature study method. Data was obtained from literature, books, journals, and websites. In this study, the fuzzy mamdani doubling method was used to determine the four-wheeled vehicle that best suits the criteria of each consumer. Then these data would be processed so that the final result was obtained in the form of a fire strength value, and the object with the highest fire strength value is the choice that best meets the criteria of the consumer.

The data that had been obtained through literature studies from various sources was formed into the following table:

Merk	TE	RPM/TE	TR	RPM/TR	SL	TN	HR
Daihatsu							
All New Xenia 1.3	98	6000	121.6	4200	1329	43	226.650.000
MMT							
Daihatsu							
New Terios R AT	104	6000	136	4200	1496	45	307.750.000
Custom							
Daihatsu							
New Sigra 1.2 R MT	88	6000	108	4200	1197	36	164.000.000
Toyota							
New Kijang Innova							
Zenix HEV G	152	6000	187	5200	1987	52	477.600.000
Hybrid Type							
Toyota							
All New Veloz Q	106	6000	137	4200	1496	43	340.400.000
CVT TSS							
Toyota	106	6000	137	4200	1496	43	276.700.000

Merk	TE	RPM/TE	TR	RPM/TR	SL	TN	HR
All New Avanza 1.5 G CVT Toyota	88	6000	108	4200	1197	36	190.000.000
New Calya G A/T Toyota All	174	6600	205	4900	1987	52	430.400.000
New Kijang Innova Zenixx G Gasoline Type Toyota	170	6600	202	4900	1986	52	615.000.000
All New Voxy 2.0 CVT Toyota	152	6000	187	5200	1987	52	541.750.000
All New Kijang Innova Zenix HEV V Hybrid Type							

Source : <https://www.toyota.astra.co.id/home> & <https://daihatsu.co.id/>

These datas then will be fuzzified in order to get the degree of membership value.

2.2 Degree of Membership Value

Merk	HR	Affordable	Moderate	Expensive
Daihatsu All New Xenia 1.3 MMT	226.650.000	0.9	0.1	0
Daihatsu New Terios R AT Custom	307.750.000	0.46	0.54	0
Daihatsu New Sigr 1.2 R MT	164.000.000	1	0	0
Toyota New Kijang Innova Zenix HEV G Hybrid Type	477.600.000	0	0.6	0.4
Toyota All New Veloz Q CVT TSS	340.400.000	0.3	0.7	0
Toyota All New Avanza 1.5 G CVT	276.700.000	0.6	0.4	0
Toyota	190.000.000	1	0	0

Merk	HR	Affordable	Moderate	Expensive
New Calya G A/T				
Toyota All New Kijang Innova	430.400.000	0	0.9	0.1
Zenixx G Gasoline Type				
Toyota	615.000.000	0	0	1
All New Voxy 2.0 CVT				
Toyota	541.750.000	0	0.3	0.7
All New Kijang Innova Zenix HEV V Hybrid Type				

The same steps are performed on other variables.

After the membership degree of each variable is obtained, the next step is to apply the AND multiplication operator to get a four-wheeled vehicle recommendation that is closest to the criteria or wishes of the buyer. In this case, suppose someone wants to buy a four-wheeled vehicle with the following criteria:

- Power : Moderate
- RPM at Max Power : Moderate
- Torque : Moderate
- RPM at Max Torque : Moderate
- Cubic Capacity : Moderate
- Tank Capacity : Large
- Price : Affordable

So, to get the choice of four-wheeled vehicles that are closest to the criteria to be sought, namely by looking for the value of fire strength in each vehicle. The fire strength value can be found using the AND multiplication operator formula:

$$\alpha = (\mu_{TE}) * (\mu_{RPM/TE}) * (\mu_{TR}) * (\mu_{RPM/TR}) * (\mu_{SL}) * (\mu_{TN}) * (\mu_{HR})$$

Merk	μ_{TE} Moderate	$\mu_{RPM/TE}$ Moderate	μ_{TR} Moderate	$\mu_{RPM/TR}$ Moderate	μ_{SL} Moderate	μ_{TN} Large	μ_{HR} Affordable
Daihatsu							
All New Xenia 1.3	0.04	1	0.22	0.4	0.66	0.15	0.9
MMT							
Daihatsu							
New Terios R AT	0.48	1	0.36	0.4	0.9	0.25	0.46
Custom							
Daihatsu							
New Sigr 1.2 R	0.16	1	0.08	0.4	0.4	0	1
MT							

Toyota							
New Kijang	0.56	1	0.87	0	0.03	0.6	0
Innova Zenix HEV							
G Hybrid Type							
Toyota							
All New Veloz Q	0.52	1	0.37	0.4	0.9	0.15	0.3
CVT TSS							
Toyota							
All New Avanza	0.52	1	0.37	0.4	0.9	0.15	0.6
1.5 G CVT							
Toyota							
New Calya G A/T	0.16	1	0.08	0.4	0.4	0	1
Toyota All							
New Kijang							
Innova Zenixx G	0.12	0	0.9	0.2	0.03	0.6	0
Gasoline Type							
Toyota							
All New Voxy 2.0	0.2	0	0.96	0.2	0.03	0.6	0
CVT							
Toyota							
All New Kijang							
Innova Zenix HEV	0.56	1	0.87	0	0.03	0.6	0
V Hybrid Type							

3. Result and Discussions

After the membership degree of each variable in accordance with the criteria is obtained, the next step is to enter the membership degree value into the AND multiplication operator formula to get the fire strength value of each vehicle:

Daihatsu All New Xenia 1.3 MMT

$$\alpha = (\mu_{TE Moderate}) * (\mu_{RPM/TE Moderate}) * (\mu_{TR Moderate}) * (\mu_{RPM/TR Moderate}) \\ * (\mu_{SL Moderate}) * (\mu_{TN Large}) * (\mu_{HR Affordable})$$

$$\alpha = 0.04 * 1 * 0.22 * 0.4 * 0.66 * 0.15 * 0.9$$

$$\alpha = 0.000313632$$

With the same steps, the α of each vehicle is obtained as shown in the following table:

No	Merk	Fire Strength (α)
----	------	----------------------------

1	Daihatsu All New Xenia 1.3 MMT	0.000313632
2	Daihatsu New Terios R AT Custom	0.00715392
3	Daihatsu New Sigra 1.2 R MT	0
4	Toyota New Kijang Innova Zenix HEV G Hybrid Type	0
5	Toyota All New Veloz Q CVT TSS	0.00311688
6	Toyota All New Avanza 1.5 G CVT	0.00623376
7	Toyota New Calya G A/T	0
8	Toyota All New Kijang Innova Zenix G Gasoline Type	0
9	Toyota All New Voxy 2.0 CVT	0
10	Toyota All New Kijang Innova Zenix HEV V Hybrid Type	0

So, it can be seen from the table that the one with the largest fire strength value is Daihatsu New Terios R AT Custom, which is 0.00715392. So based on the table, the order of four-wheeled vehicles that best suits the criteria desired by buyers is Daihatsu New Terios R AT Custom, Toyota All New Avanza 1.5 G CVT, Toyota All New Veloz Q CVT TSS, to Daihatsu All New Xenia 1.3 MMT.

4. Conclusions

Based on the results of the study, it can be concluded that the application of the Mamdani doubling method can assist users in obtaining recommendations for the best four-wheeled vehicles and closest to the criteria desired by users by comparing the quality of each vehicle based on the fire resistance value of each vehicle.

References

- [1] J. Lemantara, "Penerapan Metode Weighted Product Pada Aplikasi Pemilihan Smartphone Berdasarkan Budget dan Kebutuhan Implementation of Weighted Product Method in the Smartphone Selection Application Based on Budget and Needs," vol. 22, no. 4, pp. 960–972, 2023, [Online].

Available: <https://www.phonecurry.com/benchmarks>

- [2] A. Pendukung, K. Penentuan, and W. O. Widyarto, "Pembelian Bahan Baku Untuk Pembuatan Meubel Jenis Kursi Leter L Menggunakan," vol. 1, no. September, pp. 1–7, 2014.
- [3] R. E. Subarja and B. Hendrik, "Evaluasi Kinerja Pelayanan Pegawai Kantor Camat Padangsidimpuan Utara Menggunakan Pendektan Fuzzy Inference System Sugeno," *Indo Green J.*, vol. 1, no. 3, pp. 90–95, 2023, doi: 10.31004/green.v1i3.17.
- [4] S. F. Utami, K. Hermanto, I. Adiasa, and T. Indryani, "Analisis Pemilihan Supplier Kayu Pada Produk Furniture Menggunakan Metode Promethee," *J. Comput. Syst. Informatics*, vol. 4, no. 1, pp. 170–178, 2022, doi: 10.47065/josyc.v4i1.2569.
- [5] M. Widyastuti, F. R. S. Samosir, A. P. Windarto, and D. Hartama, "Implementasi Metode Promethee Dalam Pemilihan Kenaikan Jabatan Sous Chef Menjadi Chef," *Teknod. Komput. Sains*, vol. 1, no. 1, pp. 807–812, 2019.
- [6] D. Norvindes Dellas, I. Purnamasari, and N. A. Rizki, "Fuzzy Inference System Menggunakan Metode Tsukamoto untuk Pengambilan Keputusan Produksi (Studi Kasus: PT Waru Kaltim Plantation)," *Media Teknod. Inf. dan Komput.*, vol. 2, p. 2020, 2020.
- [7] T. Imandasari, A. Wanto, and A. P. Windarto, "Analisis Pengambilan Keputusan Dalam Menentukan Mahasiswa PKL Menggunakan Metode PROMETHEE," *JURIKOM (Jurnal Ris. Komputer)*, vol. 5, no. 3, p. 234, 2018, doi: 10.30865/jurikom.v5i3.677.
- [8] A. . Rindengan and A. . L. Yohanes, *Sistem Fuzzy*. 2019.
- [9] H. Wijaya, M. Virginia, and L. Hakim, "Penerapan Fuzzy Tahani untuk Pemilihan Perangkat Smartphone Berbasis Website Berdasarkan Kriteria Membeli," *J. Tek. Inform. UNIKA St. Thomas*, vol. 06, pp. 412–421, 2021, doi: 10.54367/jtiust.v6i2.1570.
- [10] M. Najib Mubarrok and A. Maman Abadi, "Aplikasi Fuzzy Decision Making Dengan Menggunakan Metode Mamdani Penggandaan Dalam Pemilihan Smartphone," *Semin. Nas. Mat. dan Pendidik. Mat. UNY 2015*, pp. 53–62, 2015.
- [11] N. Irsa Syahputri, K. Chiuloto, and N. Nur Aini Harahap, "Attribution-ShareAlike 4.0 International Some rights reserved Analisa Perbandingan Membership Function Fuzzy Tsukamoto dalam," no. 2009, 2022.
- [12] T. Juninda, E. Andri, U. Kahirunnisa, N. Kurniawati, and M. Mustakim, "Penerapan Metode Promethee Untuk Pendukung Keputusan Pemilihan Smartphone Terbaik," *J. Ilm. Rekayasa dan Manaj. Sist. Inf.*, vol. 5, no. 2, p. 224, 2019, doi: 10.24014/rmsi.v5i2.7677.